


## Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

### Parking Signs - R7-6

MUTCD #: R7-6  
Brimar's #: T5259



MATERIAL THICKNESS	MATERIAL NAME	CHEMICAL RESISTANCE	OUTDOOR DURABILITY	TEMP RANGE	CORNER RADIUS	MOUNT HOLES
.063"	Aluminum Coated Baked Enamel	Fading & Mild Chemicals	5 to 7 Years	-40° to 212° F -40° to 100° C	1-1/2"	2 @ 3/8"

- Aluminum offers longer life expectancy and better resistance to harsh weather conditions.
- Aluminum will not chip, crack or rust.
- **Overlaminated Options (Additional Charge):** 3M Anti Graffiti Over Laminate
- **Mounting:** Post mounting.

MATERIAL THICKNESS	MATERIAL NAME	CHEMICAL RESISTANCE	OUTDOOR DURABILITY	TEMP RANGE	CORNER RADIUS	MOUNT HOLES
.080"	Engineering Grade Reflective on Rust Free Aluminum	Fading & Mild Chemicals	Up to 7 Years	-10°F - 130°F	1-1/2"	2 @ 13/8"

- Engineering Grade (EG) retro-reflective sheeting is a beaded plastic material that renders high retro-reflectivity at night.
- Engineering Grade (EG) Reflective Sheeting meets ASTM D4956 Type I retro-reflective sheeting standards.
- Graphics are printed using any of the following printing methods: translucent inks (screen printing), applied vinyl graphics and/or thermal transfer (digital printing); translucent ink or film is not applicable to the color black
- **Overlaminated Options (Additional Charge):** 3M Anti Graffiti Over Laminate
- **Mounting:** Post mounting.

DATE: \_\_\_ / \_\_\_ / \_\_\_      JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_