

Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

P1052 - Uncorded Foam Ear Plugs



ANSI
S3.19

NRR
32
dB

DURAPLUGS™ EAR PLUGS

TECHNICAL INFORMATION

International Standards	ANSI S3.19
Color	Orange
Sizes Available	One Size
Materials	Polyurethane foam
Hearing Style	Uncorded, Foam
dB	32
Length	28mm
Width - Base Flange	12mm
Applications	Food Processing, Manufacturing
Country of Origin	Taiwan
Harmonization Code	3926.90.9985

- Tapered bullet shape foam for easy insertion and removal
- Low pressure, self-adjusting foam offers long wearing comfort and quick recovery time
- Noise reduction rating (NRR): 32 dB
- Each pair individually wrapped
- Uncorded

INFORMATION REQUIRED BY EPA:

The level of noise entering a person's ear, when a hearing protector is worn as directed, is closely approximated by the difference between the A-weighted environmental noise level and the NRR.

Example:

1. The environmental noise level as measured at the ear is 92 dBA.
2. The NRR is 33 decibels (dB).
3. The level of noise entering the ear is approximately equal to [92 dB (A) - 33] 59 dB (A).

CAUTION: For noise environments dominated by frequencies below 500 Hz the C-weighted environmental noise level should be used. Improper fit of this device will reduce its effectiveness in attenuating noise. Consult the enclosed instructions for proper fit. Although hearing protectors can be recommended for protection against the harmful effects of impulsive noise, the Noise Reduction Rating (NRR) is based on the attenuation of continuous noise and may not be an accurate indicator of the protection attainable against impulsive noise such as gunfire.

 **WARNING:** Risk of Cancer & Reproductive Harm from Di(2-ethylhexyl)phthalate Exposure - For more information, go to www.P65Warnings.ca.gov.

DATE: ____ / ____ / ____

JOB: _____

CONTRACTOR: _____